

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	((UDP ("user datagram protocol") with SSL) and (nonce random pseudo psuedo) and socks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 17:04
L3	261	380/287	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 18:26
L4	80	380/287.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 18:25
L5	219	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 18:26
L6	343	713/151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 18:26
L10	5	\$2coder with (rule-based)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:44
L11	0	(\$2coder with (rule-based)) and UDP and Nonce and key and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:46
L12	15	\$2coder with ((policy rule) adj based)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:45
L13	1291	\$2coder with ((policy rule))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:46
L14	0	\$2coder with ((policy rule)) and UDP and Nonce and key and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:46

L15	0	\$2coder with ((policy rule)) and UDP and Nonce	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:46
L16	22	\$2coder with ((policy rule)) and UDP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:46
L17	20	\$2coder with ((policy rule)) and UDP and random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:51
L18	8	\$2coder with ((policy rule)) and UDP and random and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:47
L19	69	\$2crypt\$2 with ((policy rule)) and UDP and random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:52
L20	20	\$2crypt\$2 with ((policy rule)) and UDP and ((random adj number) nonce IV vector psuedo) and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:54
L21	0	(\$2crypt\$2 with ((policy rule)) with UDP) and ((random adj number) nonce IV vector psuedo) and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:54
L22	0	(\$2crypt\$2 with ((policy rule)) with UDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:54
L23	8	(\$2crypt\$2 with ((policy rule)) same UDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:54
S1	11	UDP with encrypt\$3 with (nonce random pseudo psuedo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:29

S2	287	UDP with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 15:30
S3	76	UDP near5 encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 15:33
S4	39	(UDP near3 packet) near5 (encrypt\$3 encypher\$3 encipher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 15:48
S5	77	(UDP) near5 (encrypt\$3 encypher\$3 encipher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 15:48
S6	92	(UDP ("user datagram protocol")) near5 (encrypt\$3 encypher\$3 encipher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:26
S7	46	(UDP ("user datagram protocol")) near5 (encrypt\$3 encypher\$3 encipher\$3) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 15:51
S8	46	(UDP ("user datagram protocol")) near5 (encrypt\$3 encypher\$3 encipher\$3) with packet and (UDP ("user datagram protocol"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:39
S9	2	("20020094085").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 16:36
S10	0	((UDP ("user datagram protocol")) near5 (encrypt\$3 encypher\$3 encipher\$3)) same (block adj cipher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:27
S11	9	((UDP ("user datagram protocol")) near5 (encrypt\$3 encypher\$3 encipher\$3)) same (block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:11

S12	12	(US-20020026503-\$ or US-20040098485-\$ or US-20040107286-\$ or US-20020101848-\$ or US-20020094085-\$).did. or (US-5727002-\$ or US-5583940-\$ or US-5757924-\$ or US-6125186-\$ or US-6351539-\$ or US-6502135-\$ or US-6839759-\$).did.	US-PGPUB; USPAT	OR	ON	2005/03/31 12:40
S13	12	(UDP "user datagram protocol" encrypt\$3 encypher\$3 encipher\$3 packet nonce random pseudo psuedo message) and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:58
S14	12	(UDP "user datagram protocol" encrypt\$3 encypher\$3 encipher\$3 packet nonce random pseudo psuedo message shar\$3 key verify\$3 proxy) and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 13:54
S15	97	("6006258" "5935212" "6351810" "5987517" "6519636" "5878228" "6694431" "6751731" "6775772" "6584567" "6788647" "6424992" "6223287" "6223287" "6085234" "6263371" "5999979" "6128653" "6360265" "6519646" "6704768" "6735634" "6779035" "6829238" "6874089" "5941988" "6195366" "6240461" "6792461" "6823393" "6862629" "6115742" "6105012" "6711679" "6681017" "6367009" "6772333" "5878213" "5905872" "6704786" "5983350" "6615349" "6643701" "6349338" "6104716" "6826616" "6839759" "6266335" "5708654" "5724510").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 13:53
S16	12	(UDP "user datagram protocol" encrypt\$3 encypher\$3 encipher\$3 packet nonce random pseudo psuedo message shar\$3 key verify\$3 proxy) and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 13:54
S17	83	(UDP "user datagram protocol" encrypt\$3 encypher\$3 encipher\$3 packet nonce random pseudo psuedo message shar\$3 key verify\$3 proxy) and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 13:56
S18	16	(UDP "user datagram protocol" encrypt\$3 encypher\$3 encipher\$3 packet nonce random pseudo psuedo message shar\$3 key verify\$3 proxy) and S15 and (udp "user datagram protocol") and (encrypt\$3 encypher\$3 encipher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 13:57

S19	3	((UDP ("user datagram protocol")) with (SSL) with socks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:14
S20	140	((UDP ("user datagram protocol")) with SSL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:20
S21	4	((UDP ("user datagram protocol")) with SSL) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:14
S22	41	((UDP ("user datagram protocol")) with SSL) and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:19
S23	91	((UDP ("user datagram protocol")) with SSL) and (nonce random pseudo psuedo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/01 17:04
S24	0	((UDP ("user datagram protocol")) with SSL) with (nonce random pseudo psuedo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:20
S25	14	((UDP ("user datagram protocol")) with SSL) same(nonce random pseudo psuedo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:21
S26	71	(secur\$3 with communication) and (encryp\$3 with (data record message packet) with nonce) and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:32
S27	71	(secur\$3 with communication) and (encryp\$3 with (data record message packet) with (random pseudo psuedo nonce)) and key and proxy and ssl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:39
S28	4	(secur\$3 with communication) and (encryp\$3 with (data record message packet) with (random pseudo psuedo nonce)) and key and proxy and ssl and ((random pseudo psuedo nonce) near5 vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:40

S29	4	(secur\$3 )and (encryp\$3 with (data record message packet) with (random pseudo psuedo nonce)) and key and proxy and ssl and ((random pseudo psuedo nonce) near5 vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:40
S30	10	(secur\$3 )and (encryp\$3 with (data record message packet) with (random pseudo psuedo nonce)) and key and proxy and ((random pseudo psuedo nonce) near5 vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:41
S31	81	(secur\$3 )and (encryp\$3 with (data record message packet) with (random pseudo psuedo nonce)) and key and ((random pseudo psuedo nonce) near5 vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:41
S32	37	(secur\$3 )and (encryp\$3 with (data record message packet) with (random pseudo psuedo nonce)) and key and ((random pseudo psuedo nonce) near5 (initialization adj vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:42
S33	4	(secur\$3 )and (encryp\$3 with (data record message packet) with (random pseudo psuedo nonce)) and key and ((random pseudo psuedo nonce) near5 (initialization adj vector)) and UDP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 16:04
S34	2	("6216229").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:13
S36	37	(secur\$3 )and (encryp\$3 with (data record message packet) with (random pseudo psuedo nonce)) and key and ((random pseudo psuedo nonce) near5 (initialization adj vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 20:42
S37	4	(secur\$3 )and (encryp\$3 with (data record message packet) with (random pseudo psuedo nonce)) and key and ((random pseudo psuedo nonce) near5 (initialization adj vector)) and (UDP ("user datagram protocol"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 20:43